INDOOR - SUSPENSION

GAVIN

- ferro, metacrilato

- iron, methacrylate



Con rosone e driver, cavi inclinati
With canopy and driver, slanted cables



7330	**W** 3000K
Power	32.5W
Nominal lumen	4555.4lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7330 composed by RS61 (1Pz) 7300 (1Pz)	**W**	**-BI** **-NE** **-BV** **-OR** **-TI**	**-BI** **-NE** **-BV** **-OR** **-TI**

Con rosone e driver, cavi inclinati
With canopy and driver, slanted cables



7331	**W** 3000K
Power	46.7W
Nominal lumen	6559.7lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7331 composed by RS61 (1Pz) 7301 (1Pz)	**W**	**-BI** **-NE** **-BV** **-OR** **-TI**	**-BI** **-NE** **-BV** **-OR** **-TI**

Con rosone e driver, cavi inclinati
With canopy and driver, slanted cables



7332	**W** 3000K
Power	70.1W
Nominal lumen	9839.6lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7332	**W**	**-BI**	**-BI**
composed by		**-NE**	**-NE**
RS61 (1Pz)		**-BV**	**-BV**
7302 (1Pz)		**-OR**	**-OR**
		-TI	**-TI**

Con rosone e driver, cavi inclinati
With canopy and driver, slanted cables



7333	**W** 3000K
Power	149.3W
Nominal lumen	20954.7lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7333	**W**	**-BI**	**-BI**
composed by		**-NE**	**-NE**
RS63 (1Pz)		**-BV**	**-BV**
7300 (1Pz)		**-OR**	**-OR**
7301 (1Pz)		**-TI**	**-TI**
7302 (1Pz)			

Con rosone e driver, cavi dritti
With canopy and driver, straight cables



7340	**W** 3000K
Power	32.5W
Nominal lumen	4555.4lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7340 composed by RS60 (1Pz) 7300 (1Pz)	**W**	**-BI** **-NE** **-BV** **-OR** **-TI**	**-BI** **-NE** **-BV** **-OR** **-TI**

Con rosone e driver, cavi dritti
With canopy and driver, straight cables



7341	**W** 3000K
Power	46.7W
Nominal lumen	6559.7lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7341 composed by RS60 (1Pz) 7301 (1Pz)	**W**	**-BI** **-NE** **-BV** **-OR** **-TI**	**-BI** **-NE** **-BV** **-OR** **-TI**

Con rosone e driver, cavi dritti
With canopy and driver, straight cables



7342	**W** 3000K
Power	70.1W
Nominal lumen	9839.6lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7342 composed by RS60 (1Pz) 7302 (1Pz)	**W**	**-BI** **-NE** **-BV** **-OR** **-TI**	**-BI** **-NE** **-BV** **-OR** **-TI**

Con rosone e driver, cavi dritti
With canopy and driver, straight cables



7343	**W** 3000K
Power	149.3W
Nominal lumen	20954.7lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7343	**W**	**-BI**	**-BI**
composed by		**-NE**	**-NE**
RS62 (1Pz)		**-BV**	**-BV**
7300 (1Pz)		**-OR**	**-OR**
7301 (1Pz)		**-TI**	**-TI**
7302 (1Pz)			