


INDOOR - SUSPENSION

GAVIN




- ferro, metacrilato

- iron, methacrylate



Con rosone e driver, cavi inclinati

With canopy and driver, slanted cables



7330 **W 3000K**

Power 32.5W

Nominal lumen 4555.4lm

CRI >90


Supply 220-240V

Item	Temperature	Canopy	Body
7330	W	-BI	-BI
		-NE	-NE
		-BV	-BV
		-OR	-OR
		-TI	-TI

...composed by
RS61 (1Pz)
7301 (1Pz)

Con rosone e driver, cavi inclinati

With canopy and driver, slanted cables



7331 **W 3000K**

Power 46.7W

Nominal lumen 6559.7lm

CRI >90


Supply 220-240V

Item	Temperature	Canopy	Body
7331	W	-BI	-BI
		-NE	-NE
		-BV	-BV
		-OR	-OR
		-TI	-TI

...composed by
RS61 (1Pz)
7301 (1Pz)

Con rosone e driver, cavi inclinati

With canopy and driver, slanted cables




7332	W 3000K
Power	70.1W
Nominal lumen	9839.6lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7332	W	-BI	-BI
...composed by		-NE	-NE
RS61 (1Pz)		-BV	-BV
7302 (1Pz)		-OR	-OR
		-TI	-TI

Con rosone e driver, cavi inclinati

With canopy and driver, slanted cables




7333	W 3000K
Power	149.3W
Nominal lumen	20954.7lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7333	W	-BI	-BI
...composed by		-NE	-NE
RS63 (1Pz)		-BV	-BV
7300 (1Pz)		-OR	-OR
7301 (1Pz)		-TI	-TI
7302 (1Pz)			

Con rosone e driver, cavi dritti

With canopy and driver, straight cables




7340	W 3000K
Power	32.5W
Nominal lumen	4555.4lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7340 composed by RS60 (1Pz) 7300 (1Pz)	W	-BI	-BI
		-NE	-NE
		-BV	-BV
		-OR	-OR
		-TI	-TI

Con rosone e driver, cavi dritti

With canopy and driver, straight cables




7341	W 3000K
Power	46.7W
Nominal lumen	6559.7lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7341 composed by RS60 (1Pz) 7301 (1Pz)	W	-BI	-BI
		-NE	-NE
		-BV	-BV
		-OR	-OR
		-TI	-TI

Con rosone e driver, cavi dritti

With canopy and driver, straight cables




7342	W 3000K
Power	70.1W
Nominal lumen	9839.6lm
CRI	>90
Supply	220-240V

Item	Temperature	Canopy	Body
7342 composed by RS60 (1Pz) 7302 (1Pz)	W	-BI	-BI
		-NE	-NE
		-BV	-BV
		-OR	-OR
		-TI	-TI

Con rosone e driver, cavi dritti

With canopy and driver, straight cables



7343 **W 3000K**

Power 149.3W

Nominal lumen 20954.7lm

CRI >90

Supply 220-240V

Item	Temperature	Canopy	Body
7343	W	-BI	-BI
.....composed by		-NE	-NE
RS62 (1Pz)		-BV	-BV
7300 (1Pz)		-OR	-OR
7301 (1Pz)		-TI	-TI
7302 (1Pz)			